ZO® PRESCRIPTION PAD

Provider Name: _____ DOB: _____ dd / mm / yyyy

Patient First Name: _____ Patient Last Name: _____

Date: _____ dd / mm / yyyy

STEP 1 — GSR® — CLEANSE

Hydrating Cleanser AM

Hydrating Cleanser PM

Gentle Cleanser AM

Gentle Cleanser PM

Exfoliating Cleanser AM

Exfoliating Cleanser PM

EXFOLIATE

Exfoliating Polish AM

Exfoliating Polish PM

Dual Action Scrub Am

Dual Action Scrub PM

TONE

Calming Toner AM

Calming Toner PM

Oil Control Pads AM

Oil Control Pads PM

Complexion Renewal Pads AM

Complexion Renewal Pads PM

STEP 2 — PREVENT + CORRECT — ANTI-AGING

Instant Pore Refiner AM

Instant Pore Refiner PM

Firming Serum AM

Firming Serum PM

Daily Power Defense AM

Daily Power Defense PM

10% Vitamin C Self-Activating AM

10% Vitamin C Self-Activating PM

Growth Factor Serum AM

Growth Factor Serum PM

Radical Night Repair* AM

Radical Night Repair* PM

Wrinkle + Texture Repair* AM

Wrinkle + Texture Repair* PM

Tretinoin / ReFissa®* AM

Tretinoin / ReFissa®* PM

Exfoliation Accelerator* AM

Exfoliation Accelerator* PM

Enzymatic Peel Am

Enzymatic Peel PM

BRIGHTENING

Brightalive® Skin Brightener AM

Brightalive® Skin Brightener PM

Retinol Skin Brightener 0.25% | 0.5% | 1%* AM

Retinol Skin Brightener 0.25% | 0.5% | 1%* PM

Pigment Control Crème AM

Pigment Control Crème PM

Pigment Control + Brightening Crème* AM

Pigment Control + Brightening Crème* PM

Pigment Control + Blending Crème + Tretinoin / ReFissa® / Wrinkle + Texture Repair* AM

Pigment Control + Blending Crème + Tretinoin / ReFissa® / Wrinkle + Texture Repair* PM

ACNE

Acne Control* AM

Acne Control* PM

Correct + Conceal Light | Medium AM

Correct + Conceal Light | Medium PM

Complexion Clearing Masque AM

Complexion Clearing Masque PM

REDNESS

Rozatrol® AM

Rozatrol® PM

STEP 3 — PROTECT

-

- [ ] Sunscreen + Primer SPF 30
- [ ] Broad-Spectrum SPF 50
- [ ] Smart Tone SPF 50
- [ ] Daily Sheer SPF 50
- [ ] Sunscreen + Powder SPF 40 (INTL SPF 30) Light | Medium | Deep

HYDRATION + CALMING

Renewal Crème AM

Renewal Crème PM

Recovery Crème AM

Recovery Crème PM

Hydrating Crème Am

Hydrating Crème PM

EYE

Intense Eye Crème AM

Intense Eye Crème PM

Eye Brightening Crème AM

Eye Brightening Crème PM

Growth Factor Eye Serum AM

Growth Factor Eye Serum PM

HAND + BODY

Body Emulsion AM

Body Emulsion PM

Cellulite Control AM

Cellulite Control PM

ADD-ONS

Add-Ons

IN-OFFICE TREATMENTS

IN-OFFICE TREATMENTS

- [ ] Stimulator Peel
- [ ] ZO Controlled Depth Peel®
- [ ] Ultra Hydrating Treatment
- [ ] Acne + Oil Control Treatment
- [ ] InvisapeelTM Resurfacing Treatment
- [ ] HydraFacial Brightalive® Booster Treatment
- [ ] ZO 3-Step Peel®
- [ ] Anti-Aging Treatment
- [ ] Skin Brightening Treatment
- [ ] Redness Treatment
- [ ] Hand Renewal Treatment
- [ ] HydraFacial Rozatrol® Booster Treatment

Notes:

POST PROCEDURE

POST PROCEDURE

- ◯ Non-Ablative Protocol
- ◯ Ablative Protocol

Notes:

ADDITIONAL INFORMATION

PRODUCT APPLICATION AND LAYERING GUIDELINES

Apply products to fingertips (not palms) and massage into the skin until fully absorbed. Once absorbed, continue with layering steps in the protocol.

ANTICIPATED REACTIONS

The protocol selected must be used regularly to achieve maximum results. It takes 2–6 weeks for transformation to begin and 5 months of daily use for maximum results. Initial skin reaction are signs of good repair. • Initial skin reaction are signs of good repair. • Normal skin reactions include: pinkness / redness, dryness, peeling, irritation, itching and burning. • Products marked with * may cause short-lived reactions. • More reaction may occur in sensitive areas: Eyes, mouth, neck and chest. Do not apply Oil Control Pads, Complexion Renewal Pads or Exfoliation Accelerator on eyelids. • Unless otherwise instructed, you are in control of program strength and speed of the repair phase. • To reduce reactions: - Use lower strength - Use less product - Decrease the frequency of application. For example, start 2–3x/week and increase to every day as tolerated. - Apply a recommended Hydration + Calming product. • Application of less product will result in less anticipated skin reaction, but slower repair. A slow program is not recommended for certain skin problems. • To stop skin's reaction (e.g. special event), stop using the products that cause reaction for 4 days before the event. Resume as normal after the event.